## APPENDIX B: GUIDELINES FOR POST-DECISION CHANGES

The responsible official shall use the following guidelines to help classify the type of procedure that should be used to review proposed changes in final decisions.

When a decision is made using a Type I process, it can be changed using a Type I process. When a decision is made using a Type II process, it can be changed using a Type II depending on nature of the proposed change and the decision in question. When a decision is made using a Type III process, it can be changed using a Type II, Type II, or Type III process depending on nature of the proposed change and the decision in question.

In general, if a decision contains findings that a given condition of approval was imposed to address a specific potential impact of the proposed development, then that condition of approval can be changed only using the same type process as the original decision.

For instance, if a decision approving a subdivision (a Type III process) requires an applicant to install a fence at a certain time, and if the decision contains findings that the fence is needed to mitigate the impact of the subdivision, then review of a request to waive or delay installation of the fence would be subject to a Type III process.

The following guidelines apply when a decision is silent about why it includes a given condition of approval, or when a condition of approval is imposed based on findings that the condition is necessary to reflect the applicable law or the application rather than a specific potential impact of the proposed development.

## GUIDELINES FOR POST-DECISION CHANGES

Гуре of decision being changed		II		III		
Type of process to change decision	I	II	I	II	III	
Roads	1					
To change right of way or improvement dimension(s) to be consistent with adopted design criteria if the stated right of way or improvement dimension was not required to exceed the adopted design criteria to mitigate specific impacts or concerns expressly addressed in the decision <sup>1</sup>	X		X			
To change right of way or improvement dimension(s) to be consistent with adopted design criteria if the stated right of way or improvement dimension was required to exceed the adopted design criteria to mitigate specific impacts or concerns expressly addressed in the decision		X			X	
To modify a road standard by < 10%	X		X			
To modify a road standard by > 10%		X			X	
To change the location of proposed public or private streets without adding or deleting street stubs at the edge of the site, without violating cross-circulation standards, and without moving a street from inside the site to the edge of the site.	X			X		
To change the location of proposed public or private streets by adding or deleting street stubs at the edge of the site, by violating cross-circulation standards, and by moving a street from inside the site to the edge of the site		X			X	
To waive or defer installation of a traffic signal		X			X	

	I	1		
v		V		
		Λ	v	
Λ			Λ	
	v		v	
	Λ		Λ	
	v			X
	Λ			Λ
v			v	
Λ			Λ	
	v	<del> </del>		X
	Λ			Λ
V		v		
Λ		Λ		
II		III		
11		111		
_		-		
I	11	I	Ш	III
X		X		
X		X		
	X		X	
X		X		
	X		X	
X		X		
	X		X	
X		X		
	X		X	
X				
No action required			1	
				X
X			X	
X		X		
Does not			X	
apply				
1	1 5			
Coo	e-bv-	Do	es not a	pply
Cas				
	ase			
	-		X	
	ase		X X	
	X X X X X X A A A A A A A A A A A A A A	X	X	X       X         X       X         X       X         X       X         X       X         II       III         I       II       II         X       X         X       X       X         X       X       X         X       X       X         X       X       X         X       X       X         X       X       X         X       X       X         X       X       X         X       X       X         X       X       X         X       X       X         X       X       X         X       X       X         Does not apply       X       X

<sup>&</sup>lt;sup>1</sup> This circumstance might arise where a mistake of fact was made in the decision. For instance, if the decision requires the applicant to dedicate a 54-foot right of way and to improve a 36-foot paved section based on the assumption the street in question is a neighborhood access street, but, after the decision is final, it is determined the street is only a local street, then the guideline would allow the responsible official to reduce the required right of way and improvement widths to conform to the code standards for a local street (i.e., 50-foot right of way and 32-foot paved section).